





## Understanding the Classic theme

PrestaShop v1.7 comes preinstalled with the Classic theme, which is a simple but full-featured theme inspired by the Google Material Design language. The Classic theme is in the **themes/classic** directory and contains **preview.png**, which is the theme preview displayed on the **Design > Theme & Logo** tab in the Back Office, and several subdirectories. Some of these subdirectories contain a **.htaccess** file that prevent the files being directly accessed in a browser.

Note that you shouldn't edit any of the Classic theme files. Instead, see [Creating a child theme](#) to learn how to create your own theme that extends the Classic theme. By doing this, you can upgrade the Classic theme without losing your changes. It is still a good idea to learn how the Classic theme works though so you know how to extend it.

### Understanding the themes/classic/\_dev directory

The **themes/classic/\_dev** directory contains **package.json**, **package-lock.json**, **postcss.config.js** and **webpack.config.js**, which are used to load and configure the packages required to recompile the theme assets. There are also subdirectories with uncompiled theme assets including CSS in the **css** subdirectory, images in the **img** subdirectory and JavaScript in the **js** subdirectory.

Inside the **themes/classic/\_dev/css** directory, there is the main SCSS file **theme.scss**. At the top of the file, there are **@import** statements that include Bourbon, Bootstrap, Bootstrap Touchspin and various other SCSS files in the **partials** and **components** subdirectories.

The files in the **themes/classic/\_dev/css/partials** directory include **\_commons.scss**, which contains the CSS that is common to all pages, **\_fonts.scss**, which contains all the Noto Sans and Material Icons fonts used in the theme, **\_mixins.scss**, which contains the SASS mixins that expand statements into entire blocks of code, and **\_variables.scss**, which contains the variables that control the theme colors, sizes and spacings.

The **themes/classic/\_dev/css/partials/\_variables.scss** file contains variables for the theme colors and text styles. Here's a list of all the variables and their descriptions:

Variable	Description
\$gray-darker	The color used for headings, labels, prices, and the header navigation bar
\$gray	The color used for the main text, top menu links, footer links, and placeholders
\$gray-light	The background color of the main content, dividers, text fields and dropdowns
\$gray-lighter	The background color of odd table rows and when hovering the clear all button

Variable	Description
\$brand-primary	The link color on hover and the background color of primary buttons and the cart
\$brand-secondary	The background color of discount badges in the cart and product listings and pages
\$brand-success	The background color of success messages
\$brand-warning	The background color of warning messages
\$brand-danger	The background color of error messages
\$label-color	The color of labels next to text fields and dropdowns
\$btn-primary-color	The color of the text in primary buttons
\$btn-primary-bg	The background color of primary buttons
\$btn-primary-border	The border color of primary buttons
\$btn-secondary-color	The color of the text in secondary buttons
\$btn-secondary-bg	The background color of secondary buttons
\$btn-secondary-border	The border color of secondary buttons
\$btn-border-radius	The border radius in pixels to curve all buttons in the theme (e.g., 20px)
\$input-border-color	The border color of text fields and dropdowns
\$headings-font-weight	The font thickness of headings (e.g., normal or bold)
\$tooltip-bg	The background color of Bootstrap tooltips
\$border-radius	The border radius in pixels to curve breadcrumbs and <code>&lt;code&gt;</code> blocks (e.g., 20px)
\$extra-small-space	The extra small spacing in root em (e.g., 0.3125rem)
\$small-space	The small spacing in root em (e.g., 0.625rem)
\$medium-space	The medium spacing in root em (e.g., 1.25rem)
\$large-space	The large spacing in root em (e.g., 1.875rem)
\$extra-large-space	The extra-large spacing in root rem (e.g., 2.5rem)
\$warning	The base warning color
\$warning-hover	The base warning color on hover
\$alert-warning-bg	The background color of warning messages
\$alert-warning-border	The border color of warning messages
\$alert-warning-text	The text color of warning messages
\$btn-warning-color	The text color of warning buttons
\$btn-tertiary-color	The text color of tertiary buttons
\$btn-tertiary-hover	The text color when hovering tertiary buttons

Variable	Description
<code>\$base-font-size</code>	The base font size in root em used when calculating other font sizes (e.g., 1rem)
<code>\$font-size-lg</code>	The font size of large text in root em (e.g., 0.9375rem)
<code>\$font-size-sm</code>	The font size of small text in root em (e.g., 0.875rem)
<code>\$font-size-xs</code>	The font size of extra small text in root em (e.g., 0.8125rem)
<code>\$font-size-h1</code>	The font size of <h1> headings in root em (e.g., 1.375rem)
<code>\$font-size-h2</code>	The font size of <h2> headings in root em (e.g., 1.25rem)
<code>\$font-size-h3</code>	The font size of <h3> headings in root em (e.g., 1.125rem)
<code>\$font-size-h4</code>	The font size of <h4> headings in root em (e.g., 1.125rem)
<code>\$font-size-h5</code>	The font size of <h5> headings in root em (e.g., 1rem)
<code>\$font-size-h6</code>	The font size of <h6> headings in root em (e.g., 0.9375rem)
<code>\$display1-size</code>	The font size of the display-1 class in root em (e.g., 3.125rem)
<code>\$display1-weight</code>	The font thickness of the display-1 class (e.g., normal or bold)
<code>\$display2-size</code>	The font size of the display-2 class in root em (e.g., 2.188rem)
<code>\$display2-weight</code>	The font thickness of the display-2 class (e.g., normal or bold)
<code>\$display3-size</code>	The font size of the display-3 class in root em (e.g., 1.563rem)
<code>\$display3-weight</code>	The font thickness of the display-3 class (e.g., normal or bold)
<code>\$display4-size</code>	The font size of the display-4 class in root em (e.g., 1.25rem)
<code>\$display4-weight</code>	The font thickness of the display-4 class (e.g., normal or bold)
<code>\$text-muted</code>	The color of text in elements with the text-muted class

### Understanding the themes/classic/assets directory

The uncompiled CSS, Javascript and images are compiled into the **themes/classic/assets** directory. The compiled CSS, fonts and images are stored in the **css** subdirectory and the compiled JavaScript is stored in **js/theme.js**. There is also **js/custom.js**, which can be used to add additional JavaScript.

The compiled CSS is stored in **themes/classic/assets/css/theme.css** and the fonts and images are stored in the same directory with hash code filenames. There is also **error.css** in the directory, which contains hardcoded CSS for the **layout error** page, and **custom.css**, which you can use to add additional hardcoded CSS to customize your theme.

The compiled CSS and JavaScript is combined and minified using Webpack and stored in the **themes/classic/assets/cache** directory. There will be multiple CSS and JavaScript files stored there with hash code filenames, one CSS and one JavaScript for each page with unique CSS or JavaScript.

### Understanding the themes/classic/config directory

The **themes/classic/config** directory contains the file **theme.yml**, which contains the theme information and data used to automatically configure PrestaShop when the theme is installed. At the top is the theme name, version and author information.

In the **compatibility** subsection of the **meta** section of **theme.yml**, the minimum compatible PrestaShop version of the Classic theme is set to PrestaShop 1.7.0.0 and there is no maximum version. The **availability\_layouts** subsection specifies the names and descriptions of the layouts that can be chosen on the **Design > Theme & Logo > Choose layouts** page. The **configuration** subsection of the **global\_settings** section of **theme.yml** causes the **Image format** setting on the **Design > Image Settings** tab to change to **Use PNG only if the base image is in PNG format** on theme installation. In the **modules**

subsection, there is a list of modules that will be enabled when the theme is installed. There is also a hooks subsection that lists which modules to automatically install into each hook. The **image\_types** subsection sets the widths, heights and scopes of each image type, which can be seen on the **Design > Image Settings** tab.

The **theme\_settings** section of theme.yml sets the default layout of the theme to full width and then adds a left column to the category, best seller, new products, specials and contact pages.

### Understanding the themes/classic/modules directory

The **themes/classic/modules** directory is used to override module templates, so they can be customized just for the Classic theme. Other themes will continue to use the original modules templates or use their own overrides. This makes it possible to upgrade modules without losing changes made to the theme.

Module template overrides mirror the same directory structure as the base templates. For example, the `themes/classic/modules/blockreassurance/views/templates/hook/blockreassurance.tpl` overrides the `modules/blockreassurance/views/templates/hook/blockreassurance.tpl`.

Here's a list of each override along with a description of what is changed by the Classic theme:

Template	What it changes
blockreassurance	Adds a div around each image and text
contactform	
ps_banner	
ps_brandlist	
ps_categoryproducts	
ps_categorytree	
ps_contactinfo	
ps_crossselling	
ps_currencyselector	
ps_customeraccountlinks	
ps_customersignin	
ps_emailalerts	
ps_emailsubscription	
ps_facetedsearch	
ps_featuredproducts	
ps_imageslider	
ps_languageselector	
ps_legalcompliance	
ps_linklist	
ps_mainmenu	
ps_newproducts	
ps_productinfo	
ps_rssfeed	
ps_searchbar	
ps_sharebuttons	

**Template**

ps\_shoppingcart  
 ps\_socialfollow  
 ps\_specials  
 ps\_supplierlist  
 ps\_viewsproduct

**What it changes****Understanding the themes/classic/templates directory**

The themes/classic/templates directory contains all the templates that are not related to modules. The \_partials subdirectories contain partial templates that do not create an entire page by themselves. The partial templates are called by other templates to create an entire page.

Here's a list of all the directories and templates along with short descriptions:

**Directory/Template****Description**

contact.tpl	Contact information in the left column of the contact page
index.tpl	Homepage content
page.tpl	Page title and containers for the page content
<b>_partials</b>	Partial templates used by all pages
breadcrumb.tpl	Breadcrumb bar below the header
footer.tpl	Footer at the bottom of non-checkout pages
form-errors.tpl	Form error messages displayed after submitting a form
form-fields.tpl	Form fields such as dropdowns, text fields, checkboxes and radio buttons
head.tpl	Title, CSS, JavaScript, icons and SEO content in the <head> tag
header.tpl	Header at the top of non-checkout pages
javascript.tpl	JavaScript variables and links to external JavaScript files
notifications.tpl	Page notifications including errors, warnings and success messages
pagination.tpl	Buttons to navigate between pages of products
stylesheets.tpl	Inline CSS and links to external CSS files
<b>catalog</b>	Templates related to displaying product listings and pages
brands.tpl	Brand listing page
manufacturers.tpl	Brand listing page (for backwards compatibility with older modules)
product.tpl	Product page
suppliers.tpl	Supplier listing page
<b>catalog/_partials</b>	Partial templates related to products and product listings
active_filters.tpl	Currently selected filters displayed above product listings
facets.tpl	Available product filters displayed in the left column
product-activation.tpl	Messages on the product page (e.g., when previewing an offline product)

<b>Directory/Template</b>	<b>Description</b>
product-add-to-cart.tpl	Quantity, availability and Add to cart button on the product page
product-additional-info.tpl	Additional information displayed below the Add to cart button
product-cover-thumbnail.tpl	Product images and thumbnails on the product page
product-customization.tpl	Customization form below the short description on the product page
product-details.tpl	The Product Details tab at the bottom of the product page
product-discounts.tpl	Volume discounts on the product page
product-images-modal.tpl	Product images in the Quick view popup
product-prices.tpl	Prices under the product name on the product page
product-variants.tpl	Product attributes dropdowns on the product page
products-bottom.tpl	JavaScript at the bottom of product lists (not used by Classic theme)
products-top.tpl	Sorting, filters and pagination at the top of product lists
products.tpl	Product list with Back to top link in mobile view
quickview.tpl	Quick view popup
sort-orders.tpl	Product sort dropdown above product listings
variant-links.tpl	Color attributes on product listings
<b>catalog/_partials/miniatures</b>	Partial templates related to miniature versions of items
brand.tpl	Brand listing miniature
category.tpl	Subcategory listing miniature
pack-product.tpl	Pack product miniature
product.tpl	Product listing miniature
<b>catalog/listing</b>	Templates related to listing pages
best-sales.tpl	Best sellers listing page
category.tpl	Category listing page including the name and image at the top
manufacturer.tpl	Brand listing page including description at the top
new-products.tpl	New products listing page
prices-drop.tpl	Specials listing page
product-list.tpl	Product listing page
search.tpl	Search results page
supplier.tpl	Supplier listing page include description at the top
<b>checkout</b>	Templates related to the checkout pages
cart.tpl	Shopping cart page with products and summary in the right column
cart-empty.tpl	Shopping cart page with no products
checkout.tpl	Checkout pages including order steps and summary in the right column
checkout-process.tpl	Order steps on the checkout page
order-confirmation.tpl	Order confirmation page after completing an order
<b>checkout/_partials</b>	Partial templates related to the checkout pages
address-form.tpl	Address form on checkout page

<b>Directory/Template</b>	<b>Description</b>
address-selector-block.tpl	Address selector block on checkout page
cart-detailed.tpl	Detailed shopping cart block
cart-detailed-actions.tpl	Detailed shopping cart actions and minimal purchase warning
cart-detailed-product-line.tpl	Detailed shopping cart product line
cart-detailed-totals.tpl	Detailed shopping cart totals
cart-summary.tpl	Shopping cart summary
cart-summary-items-subtotal.tpl	Shopping cart summary subtotal
cart-summary-product-line.tpl	Shopping cart summary product line
cart-summary-totals.tpl	Shopping cart summary totals
cart-voucher.tpl	Shopping cart vouchers
customer-form.tpl	Customer account creation form on checkout page
footer.tpl	Footer at the bottom of checkout pages
header.tpl	Header at the top of checkout pages
login-form.tpl	Login form on checkout page
order-confirmation-table.tpl	Detailed cart information on the order confirmation page
order-final-summary.tpl	Final order summary before payment
order-final-summary-table.tpl	Final order summary table before payment
<b>catalog/_partials/steps</b>	Partial templates related to individual order steps
addresses.tpl	Addresses step content on the checkout page
checkout-step.tpl	Checkout step header for the previous steps on the checkout page
payment.tpl	Payment step content on the checkout page
personal-information.tpl	Personal Information step content on the checkout page
shipping.tpl	Shipping Methods step content on the checkout page
unreachable.tpl	Checkout step header for the next steps on the checkout page
<b>cms</b>	Templates related to CMS pages
category.tpl	CMS category listing page including subcategories and subpages
page.tpl	CMS page content, dispute information and print button
sitemap.tpl	Pages header and list on the sitemap page
stores.tpl	Our stores page with stores and opening hours
<b>cms/_partials</b>	Partial templates related to CMS pages
sitemap-nested-list.tpl	Pages list on the sitemap page
<b>customer</b>	Templates related to customer account pages
address.tpl	Address form on the Addresses customer account page
addresses.tpl	Addresses customer account page
authentication.tpl	Customer login and registration page
discount.tpl	Your vouchers customer account page
guest-login.tpl	Guest Order Tracking login page
guest-tracking.tpl	Guest Tracking page and registration form

**Directory/Template**

history.tpl	Order history customer account page
identity.tpl	Your personal information customer account page
my-account.tpl	Your account page with sign out link
order-detail.tpl	Order details customer page
order-follow.tpl	Merchandise returns customer page
order-return.tpl	Return details customer page
order-slip.tpl	Credit slips customer page
page.tpl	Customer page with Back to your account and Home footer links
password-email.tpl	Forgot your password email form
password-infos.tpl	Forgot your password changed password information
password-new.tpl	Reset your password page (after clicking password reset link in email)
registration.tpl	Create an account page
<b>customer/_partials</b>	Partial templates related to customer pages
address-form.tpl	Address form content
block-address.tpl	Address block
customer-form.tpl	Customer creation form
login-form.tpl	Customer login form
my-account-links.tpl	Customer page Back to your account and Home footer links
order-detail-no-return.tpl	Order details with no returns allowed on the Guest tracking page
order-detail-return.tpl	Order details with returns allowed on the Order history page
order-messages.tpl	Order messages on the Order history page
<b>errors</b>	Templates related to error pages
404.tpl	Not Found error page
forbidden.tpl	Forbidden error page
maintenance.tpl	Maintenance error page
not-found.tpl	Not Found error page content
restricted-country.tpl	Restricted Country error page
<b>errors/static</b>	Static error pages that do not need to be compiled
500.html	Internal Server Error error page
503.html	Service Not Available error page
layouts	Templates related to the layout of pages
layout-both-columns.tpl	Displays a page with header, footer, left and right columns
layout-content-only.tpl	Displays a page with content, but no header, footer, left or right columns
layout-error.tpl	Displays an error page with simplified <head> and no left or right columns
layout-full-width.tpl	Displays a page with header and footer, but no left or right columns
layout-left-column.tpl	Displays a page with header, footer and left column, but no right column



**Directory/Template**

layout-right-column.tpl

**Description**

Displays a page with header, footer and right column, but no left column

**PRODUCTS**[Our Modules](#)[Merchant Guide](#)[Developer Guide](#)**OUR COMPANY**[Terms & Conditions](#)[Donate](#)[Contact us](#)[My account](#)**ABOUT NETHERCOTT CONSTRUCTIONS**

We are the Australian PrestaShop Ambassador and a Superhero Seller. We have been regularly providing advice and support through the PrestaShop forums to many merchants and developers since 2009.

We are available for custom themes and modules, easy to install and highly configurable modules that improve your online shop, and advice on PrestaShop setup and performance optimisation.

© 2009-2018 Nethercott Constructions

